OGAAN
AMBROSE™
LOUVERSPANEL

Beyond

CHARCOAL

LOUVERS

Into Brilliance



Vol. 1



Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH

2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

APPLICATION

- HOME
- WORK TOPS
- BEDROOM
- LOBBY
- MALL
- PARTITIONS
- BATHROOMS
- CORPORATE OFFICE

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS



OUR PRODUCT RANGE

AMBROSE ACRYLIC

AMBROSE CHARCOAL LOUVERS

OGAAN
AMBROSE™
LOUVERSPANEL

SEAMLESS
Beauty





8101

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

Z SERIES
1MM

OGAAN
AMBROSE™
LOUVERSPANEL

LOUVER *Bliss*





8102

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

GRACEFUL
Flow





8103

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

COOL
Design





8111

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

PURE *Style*





8112

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH

2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)


FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

STYLISH
Shade





8113

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

LOUVER
Smart





8114

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH

2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

TIMELESS
Shade





8121

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

AIRFLOW
Elegance





8122

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

AESTHETIC
Airflow





8123

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)


Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

FRESH
Design





8131

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

CUSTOM
Comfort





8132

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

SHADE
Balance





8133

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)


FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

BREATHE
Luxury





8134

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)


Thickness 12mm (+/- 5 to 10%)


FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

SHADE
Evolved





8141

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

AIR
Inspired





8142

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

BREATHE
Freedom





8143

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)


FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

DYNAMIC
Breeze





8151

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)


FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

AIR *Made*





8152

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)


FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

EFFICIENT
Shade





8153

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

AIRFLOW
Crafted





8161

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)


FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

CHIC
Shade





8162

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)


Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

LOUVER
Essence





8171

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

STYLISH
Harmony





8172

Charcoal Louvers

AVAILABLE IN

8 (2440mm) & 9.5 (2900mm) FEET LENGTH

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OGAAN
AMBROSE™
LOUVERSPANEL

AIRFLOW
Mastery





8173

Charcoal Louvers

AVAILABLE IN

8 & 9.5 FEET LENGTH
2440mm 2900mm

Width 5 Inch (120mm)

Thickness 12mm (+/- 5 to 10%)

FEATURES

- TERMITE & BORER FREE
- MOISTURE RESISTANT
- HEAT & DUST RESISTANT
- SMART, EASY & INSTANT APPLICATION
- LONG LASTING
- CARPENTER FRIENDLY
- SEAMLESS DESIGNS

OUR PRODUCT RANGE

AMBROSE ACRYLIC | AMBROSE CHARCOAL LOUVERS | Z SERIES 1MM

DECOPEDIA 0.8MM | DOOR SKIN

Installation Recommendations for Ogaan Louvers:

1. Prior to cutting and installation, carefully inspect the louvers for color accuracy as no replacements will be provided once installed due to potential color variation between lots.
2. Store the louvers horizontally to ensure proper storage and prevent any warping or damage.
3. It is recommended to use 'Headless nails' & 'Water-based adhesive' for installation.
4. Utilize standard carpentry tools, such as a hand saw or circular saw, for processing the louvers during installation.

General Terms & Conditions for Warranty:

1. Replacements can be facilitated only prior to cutting the louvers, only in the event of any manufacturing defects.
2. Allowance for length and width tolerance is +/- 5 to 10%.
3. Allowance for thickness tolerance is +/- 5 to 10%.
4. Louvers should be used strictly for interior applications and should not be exposed to direct sunlight.
5. Refrain from using harsh chemicals or thinners to clean the louver surface, opting for gentler cleaning methods instead.

OGAAN AMBROSE™ LOUVERSPANEL

AMBA DECORATIVE PRIVATE LIMITED
AN ISO 9001:2015 CERTIFIED COMPANY

Works : Khasra No 402- A Village Tatarpur,Hapur,
Uttar Pradesh India

Email:ambadecorative@gmail.com