Okasa

THERMO LAMINATES

by

OGAAN®
LAMINATES

OGAAN®
LAMINATES

A Product of:

AMBA LAMINATE PVT. LTD.

(An ISO 9001: 14001: 18001 Certified Company)

MFG PLANT - Khasra No. 402, Vill - Tatarpur, N.H. - 24, Hapur (245101)
Corporate Office NO: 1914 A & B Iconic Corenthum 19th Floor,
A-41, Sector - 62, Noida (201301) (U.P.)
Customer Care no. +91 86508 00955/ +91 86508 00966
Email - info@ogaanlam.com/ inquiry@ogaanlam.com
www.ogaanlam.com

OGAAN® LAMINATES

Okasa THERMO LAMINATES

THE SPOT FREE ASA SURFACES

NEW EDITION

26-27

asa surfaces

MATT

GLOSS

TEXTURES

THE SPOT FREE LAMINATE COLLECTIONS



Ogaan Laminates is a premium laminates manufacturer in India, offering high-quality laminates for all interior and furniture surfaces. With over 1,500 designs in rich finishes, elegant textures, and vibrant colors, our laminates are crafted using 100% phenolic resin to ensure maximum durability and are backed by a 15-year warranty. Trusted by India's top interior designers and professionals, our laminates are ideal for a wide range of applications, including kitchen cabinets, wardrobes, wall panels, and tabletops, etc.

Okasa

THERMO LAMINATES

by

OGAAN®

LAMINATES

SPORT FREE *Surfaces*


MATT

GLOSS

TEXTURES

Features







Scratch Resistant
Anti-Fingerprint
oil rub Resistant
Anti-yellowing
Water Proof
Easy to Bend
Seamless Edges
No Delamination
All size Customization

Elegant Matte Appeal

Experience understated luxury with a sophisticated matte finish that eliminates excessive shine and brings a refined, contemporary character to your interiors.



Smooth Surface Experience

Designed to offer a pleasingly smooth touch, its refined surface adds a sense of finesse and sophistication to every furniture application.





Rich Colour Expression

Enjoy beautifully presented colours with visual depth and a premium appearance, creating interiors that reflect elegance, style and individuality.



Timeless Contemporary Style

Perfect for modern design sensibilities, its subtle matte aesthetics blend effortlessly with diverse interior themes, making every space look effortlessly stylish.

ADVANTAGE	PET-G/ASA
Health Index	ECO Friendly and No formaldehyde
Flexibility	Bendable 90 not Crack
Weather Fastness	Anti-yellowing




Okasa

THERMO LAMINATES

by

OGAAN®
LAMINATES



MATT

Okasa by OGAAN LAMINATES
THERMO LAMINATES

OK-101 (MATT)

OK-102 (MATT)

OK-103 (MATT)

OK-108 (MATT)

OK-109 (MATT)

OK-110 (MATT)

OK-104 (MATT)

OK-106 (MATT)

SOPHISTICATED MATTE *Elegance*

OK-111 (MATT)

OK-112 (MATT)

OK-113 (MATT)



OK-105 (MATT)

OK-107 (MATT)

OK-114 (MATT)

OK-115 (MATT)

OK-116 (MATT)

GLOSS

Okasa by OGAAN LAMINATES
THERMO LAMINATES

SMOOTH &
REFINED
Surface



OK-201 (GLOSS)

OK-202 (GLOSS)

OK-203 (GLOSS)

OK-204 (GLOSS)

OK-206 (GLOSS)

OK-205 (GLOSS)

OK-207 (GLOSS)

OK-210 (GLOSS)

OK-211 (GLOSS)



OK-212 (GLOSS)

OK-213 (GLOSS)

OK-216 (GLOSS)





METALLIC MATT

OK-301 MT (MATT)

OK-302 MT (MATT)

OK-303 MT (MATT)

OK-304 MT (MATT)



METALLIC GLOSS

OK-401 MT (GLOSS)

OK-402 MT (GLOSS)

OK-403 MT (GLOSS)

OK-404 MT (GLOSS)

Okasa by OGAAN LAMINATES
THERMO LAMINATES

SHIMMER



OK-501 (SHIMMER)

OK-502 (SHIMMER)

OK-503 (SHIMMER)

OK-504 (SHIMMER)

OK-505 (SHIMMER)

OK-506 (SHIMMER)







Okasa
THERMO LAMINATES

by

OGAAN®
LAMINATES







SUBTLE
Premium Finish

TEXTURE

Okasa by OGAAN LAMINATES
THERMO LAMINATES



OK-603 (TEXTURE)



OK-604 (TEXTURE)



OK-601 (TEXTURE)



OK-602 (TEXTURE)



OK-605 TEXTURE)



OK-606 (TEXTURE)

TEXTURE

CONTEMPORARY

TIMELESS

Appea






OK-607 (TEXTURE)



OK-608 (TEXTURE)



OK-609 (TEXTURE)



OK-610 (TEXTURE)

TECHNICAL SPECIFICATION


Product Characteristics

- **HIGH THERMAL STABILITY**
  OKASA - ASA is superior to other highly durable products when heat tested.

- **SCRATCH RESISTANCE**
  OKASA - ASA has strong scratch resistance compared to other resins, so it has strong surface hardness.

- **THICKNESS: 1 MM (+ / - 10)** (Same as sample used in brochure)
  Size: 1220 MM X 2440 MM (4 Ft. x 8 Ft.)

- **WEATHER-PROOF DURABILITY**
  OKASA - ASA has outstanding weather-proof durability compared to other resins.





Antifinger, Anti-Scratch, Soft Touch and More Environmentally Friendly

- Using excimer technology, the surface has improved repair performance and is super scratch-resistant compared to similar OKASA products on the market. Extremely delicate.
- OKASA material is composed of a multi-layer structure and has stable performance.
- Complies with EU REACH regulations and food-grade environmental protection requirements.
- It does not contain plasticizers, formaldehyde, heavy metals or other harmful substances and is truly non-toxic and odourless.
- Weather resistance: gray card level 4 or above; specific colours can be weather-resistant for up to 5 years without discolouration.
- The hardness is good up to 1H and has good scratch resistance.
- The stain resistance level can reach level 5 with no obvious change.
- The matte surface feels as smooth as skin, and minor scratches can be repaired with heat.
- Compared with PVC, OKASA is more environmentally friendly and has stronger surface anti-fouling and scratch resistance. It is an ideal decorative material for door and wall integrated cabinet door panels.

Limited Warranty

OKASA Products are tested to be reasonably free of defects, and when used and fabricated properly they will comply with the applicable manufacturing specifications within realistic deviations. We recommend customers inspect properly before installing. OKASA warranty in no way covers defects and non-compliance from, or otherwise attributable to, any other causes, including without limitation the following:

- Improper handling / transportation / storage of ASA Laminate
- Improper installation of ASA Laminate
- Improper or unintended usage of ASA Laminate
- Lack of or improper maintenance of ASA Laminate
- Exposure to high temperatures
- Unauthorized alteration to the products
- Outdoor applications
- There will be no guarantee or exchange under any circumstances.
- Colour variations in products from different batches are possible.
- We recommend using products from the same batch to avoid colour variations.
- This brochure is for presentation purposes only. Actual colours may differ.

Disclaimer

- Do not use plywood with high moisture content.
- Do not use ply with uneven surface.
- Avoid using interior quality adhesive.
- Apply sufficient pressure.
- We do not recommend pasting sheets on the printed/branding area of the plywood.